

Author Index for Volume 25

- A'Hern, R.P., 251
 Aldrovandi, G., 353
 Alpert, J., 119
 Ancker, J., 72
 Antman, E.M., 553
 Assmann, S.F., 553
 Ayash, C., 353
- Bacharier, L.B., 286
 Balkrishnan, R., 447
 Bang, H., 143
 Batts-Turner, M., 53
 Biggs, M.M., 119
 Berger, V.W., 515, 613
 Bloomberg, G.R., 286
 Boehmer, S.J., 286
 Bone, L.R., 53
 Bonkovsky, H.L., 472
 Bowen, D.J., 447
 Brancati, F.L., 53
 Breese, P., 74
 Brenes, G.A., 447
 Brown, S., 235
 Buczynski, B., 76
 Burke, L.B., 535
 Burman, W., 74
 Butterfield, L.H., 400
 Byerly, M., 598
- Capra, W.B., 168
 Carlin, S.M., 203
 Carmack Taylor, C.L., 265
 Carmody, T., 598
 Carter, R.E., 429
 Chan, S.F., 408
 Chang, M.N., 326
 Charmsangavej, C., 265
 Charrois, T., 502
 Chinchilli Jr., V.M., 286
- Clayton, D., 71
 Clemmensen-Rotne, K., 585
 Collins, J., 378
 Coltman Jr., C.A., 203
 Connell, P., 76
 Corbie-Smith, G., 335
 Corey, P., 417
 Costa, L.J.M., 525
 Criqui, M.H., 178
 Crowley, J.J., 203
 Curb, D., 335
- Davis, C.E., 143
 Dawson, W., 235
 De Moor, C., 265
 Degl' Innocenti, A., 585
 Del Giglio, A., 525
 Di Bisceglie, A.M., 472
 Dienstag, J.L., 472
 Dimsdale, J.E., 178
 Domanski, M., 553
 Donner, A., 3
 Drennan, K.B., 1
 Dunn, A.L., 265
- Early Treatment for Retinopathy of Prematurity Cooperative Group, 311
 Economou, J.S., 400
 Edwards, P., 31
 Erickson, P., 535
 Everhart, J.E., 472
 Everson, G.T., 472
- Farmer, D.F., 447
 Fava, M., 119
 Feussner, J.R., 378
 Ford, L.G., 203
 Fouad, M.N., 335
- Fransen, M., 223
 Freidlin, B., 67
 Frost, C., 31
- Gabbay, M., 388
 Gajewski, B.J., 157
 Gary, T.L., 53
 Gemmel, A., 76
 George, S.L., 67
 Geys, H., 13
 Ghany, M.G., 472
 Glaspy, J.A., 400
 Goedhart, D.M., 563
 Goertz, C., 76
 Golomb, B.A., 178
 Goodman, P.J., 203
 Gordon, L.K., 400
 Gritz, E.R., 265
 Guilbert, T.W., 286
- Hagino, A., 572
 Hamada, C., 572
 Hansen, M.C., 265
 Heldt, G., 286
 Hendel, L., 585
 Hill, M.N., 53
 Hill-Briggs, F., 53
 HIPAID Collaborative Group, 223
 Holland, R., 598
 Horner, R., 378
 Howard, B.V., 335
 Hulley, S.B., 104
 Hutson, A.D., 493
- Ireland, C.C., 104
 Irwig, L., 408
- Johnson, G., 378

Author Index for Volume 25

- A'Hern, R.P., 251
 Aldrovandi, G., 353
 Alpert, J., 119
 Ancker, J., 72
 Antman, E.M., 553
 Assmann, S.F., 553
 Ayash, C., 353
- Bacharier, L.B., 286
 Balkrishnan, R., 447
 Bang, H., 143
 Batts-Turner, M., 53
 Biggs, M.M., 119
 Berger, V.W., 515, 613
 Bloomberg, G.R., 286
 Boehmer, S.J., 286
 Bone, L.R., 53
 Bonkovsky, H.L., 472
 Bowen, D.J., 447
 Brancati, F.L., 53
 Breese, P., 74
 Brenes, G.A., 447
 Brown, S., 235
 Buczynski, B., 76
 Burke, L.B., 535
 Burman, W., 74
 Butterfield, L.H., 400
 Byerly, M., 598
- Capra, W.B., 168
 Carlin, S.M., 203
 Carmack Taylor, C.L., 265
 Carmody, T., 598
 Carter, R.E., 429
 Chan, S.F., 408
 Chang, M.N., 326
 Charmsangavej, C., 265
 Charrois, T., 502
 Chinchilli Jr., V.M., 286
- Clayton, D., 71
 Clemmensen-Rotne, K., 585
 Collins, J., 378
 Coltman Jr., C.A., 203
 Connell, P., 76
 Corbie-Smith, G., 335
 Corey, P., 417
 Costa, L.J.M., 525
 Criqui, M.H., 178
 Crowley, J.J., 203
 Curb, D., 335
- Davis, C.E., 143
 Dawson, W., 235
 De Moor, C., 265
 Degl' Innocenti, A., 585
 Del Giglio, A., 525
 Di Bisceglie, A.M., 472
 Dienstag, J.L., 472
 Dimsdale, J.E., 178
 Domanski, M., 553
 Donner, A., 3
 Drennan, K.B., 1
 Dunn, A.L., 265
- Early Treatment for Retinopathy of Prematurity Cooperative Group, 311
 Economou, J.S., 400
 Edwards, P., 31
 Erickson, P., 535
 Everhart, J.E., 472
 Everson, G.T., 472
- Farmer, D.F., 447
 Fava, M., 119
 Feussner, J.R., 378
 Ford, L.G., 203
 Fouad, M.N., 335
- Fransen, M., 223
 Freidlin, B., 67
 Frost, C., 31
- Gabbay, M., 388
 Gajewski, B.J., 157
 Gary, T.L., 53
 Gemmel, A., 76
 George, S.L., 67
 Geys, H., 13
 Ghany, M.G., 472
 Glaspy, J.A., 400
 Goedhart, D.M., 563
 Goertz, C., 76
 Golomb, B.A., 178
 Goodman, P.J., 203
 Gordon, L.K., 400
 Gritz, E.R., 265
 Guilbert, T.W., 286
- Hagino, A., 572
 Hamada, C., 572
 Hansen, M.C., 265
 Heldt, G., 286
 Hendel, L., 585
 Hill, M.N., 53
 Hill-Briggs, F., 53
 HIPAID Collaborative Group, 223
 Holland, R., 598
 Horner, R., 378
 Howard, B.V., 335
 Hulley, S.B., 104
 Hutson, A.D., 493
- Ireland, C.C., 104
 Irwig, L., 408
- Johnson, G., 378

- Kalish, L.A., 76
 Kankasa, C., 353
 Kashner, T.M., 119
 Kasonde, P., 353
 Katula, J.A., 447
 Kepner, J.L., 326
 Korn, E.L., 67
 Krawiec, M., 286
 Kuhn, L., 353
 Kupfer, D.J., 119
 Kuppermann, M., 104

 Laenen, A., 13
 Lammers, J.-W.J., 563
 Larsen, G., 286
 Lauritsen, K., 585
 Lavori, P., 378
 Lavori, P.W., 119
 Learman, L.A., 104
 Lebowitz, B.D., 119
 Lee, W.M., 472
 Lemanske Jr., R.F., 286
 Levine, D.M., 53
 Li, B., 598
 Lindquist, J.H., 378
 Lindsay, K.L., 472
 Lok, A.S., 472
 Lumley, J., 235
 Lytje, M.F., 585

 Macaskill, P., 408
 Macklin, E.A., 76
 Maggon, K., 366
 Marks, R.G., 437
 Martinez, F.D., 286
 Mauger, D.T., 286
 Mauger, E.A., 286
 Mayo, M.S., 157
 McGrath, P.J., 119
 McGuire, M., 53
 McKinlay, S., 553
 Mihalko, S.L., 447
 Miller, D.R., 598
 Molenberghs, G., 13
 Montgomery, J.H., 598
 Morgan, T.R., 472
 Morgan, W.J., 286
 Morishima, C., 472
 Mouton, C., 335

 Nakazato, H., 572
 Newman, S., 502

 Ni, L., 143
 Niederehe, G., 119
 Nierenberg, A.A., 119
 Norman, J., 553
 Nusinowitz, S., 400

 Oddone, E.Z., 378
 Ohashi, Y., 572
 Olsen, M.K., 378
 Orr, M., 378

 Panzarella, T., 417
 Pettaway, C., 265
 Pian-Smith, M., 76
 Platonov, P., 553
 Powe, N.R., 53
 Præst, J., 585

 Quitkin, F.M., 119

 Reda, D., 378
 Reid, M.E., 493
 Renard, D., 13
 Ribas, A., 400
 Richter, H.E., 104
 Ritz, L., 119
 Roberts, I., 31
 Rosenbaum, J.F., 119
 Rush, A.J., 119
 Ryan, A., 203

 Sackeim, H.A., 119
 Sakamoto, J., 572
 Sandercock, P., 31
 Saudek, C., 53
 Sellin, R., 265
 Semrau, K., 353
 Senthilselvan, A., 502
 Shores-Wilson, K., 119
 Shiffman, M.L., 472
 Shutes, E., 353
 Simon, M., 335
 Sin, D., 502
 Sinkala, M., 353
 Small, R., 235
 Smith, M.A., 265
 Sorkness, C., 286
 Spahn, J.D., 286
 Stevens, S., 76
 Stewart, J.W., 119
 Straatsma, B.R., 400
 Strunk, R.C., 286
 Summitt Jr., R.L., 104

 Szefer, S.J., 286

 Talavera, G., 335
 Tangen, C.M., 203
 Taussig, L.M., 286
 Thase, M.E., 119
 The HALT-C Trial Group, 472
 The SEARCH Study Group, 458
 The STAR*D Investigators Group, 119
 Thea, D.M., 353
 Thomas, J., 388
 Thompson, I.M., 203
 Thompson, J., 76, 335
 Trivedi, M.H., 119
 Tsai, W.-Y., 353
 Tsuyuki, R.T., 502

 Valaskatgis, P., 76
 Vangeneugden, T., 13
 Varghese, F., 598
 Varner, R.E., 104
 Varshavsky, S., 553
 Vittinghoff, E., 104
 Vwalika, C., 353

 Walter, S.D., 408
 Wang, C.-Y., 335
 Wang, N.-Y., 53
 Washington, E., 104
 Watson, L., 235
 Wayne, P.M., 76
 Weinstein, S., 515
 Wheatley, K., 71
 White, C., 335
 White, H.L., 178
 Whitehead, J., 69
 Wiklund, I., 585
 Willke, R.J., 535
 Wisniewski, S.R., 119
 Wright, E.C., 472

 Xavier, A.C.G., 525

 Yeh, H.-c., 53
 Yi, Q., 417
 Yoshimura, I., 572
 Young, R., 335

 Zanen, P., 563
 Zeiger, R.S., 286
 Zou, G., 3
 Zusman, R.M., 76



ELSEVIER

Subject Index for Volume 25

ABNORMAL UTERINE BLEEDING

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

ACCRUAL TIME

Application of stochastic processes to participant recruitment in clinical trials, 429

ACUPUNCTURE

Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

ADHERENCE

Challenges and innovations in enhancing adherence, 447

Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

ADOLESCENTS

SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

AFRICAN-AMERICANS

A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

AGE

Analyzing bronchodilation with emphasis on disease type, age and sex, 563

AGGRESSION

The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

ALLERGENS

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ALLOCATION CONCEALMENT

Ensuring the comparability of comparison groups: is randomization enough?, 515

ALLOCATION OF INTERVENTION TO COMMUNITIES

Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

ALPHA

On the generation and ownership of alpha in medical studies, 613

ANALYSIS OF COVARIANCE

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

ANALYSIS OF VARIANCE

Analyzing bronchodilation with emphasis on disease type, age and sex, 563

ANTIDEPRESSANTS

Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

ANTIPSYCHOTIC(S)

An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

ASTHMA

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

Analyzing bronchodilation with emphasis on disease type, age and sex, 563

ASTHMA PREDICTIVE INDEX

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ATOPY

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

BETA

Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

BIAS

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

BINOMIAL

Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

BINOMIAL DISTRIBUTION

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

BLINDING

Assessment of blinding in clinical trials, 143

BLINDING INDEX

Assessment of blinding in clinical trials, 143

BLOOD PRESSURE

Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

BREAST-FEEDING

Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

BROKEN EXPERIMENT

Ensuring the comparability of comparison groups: is randomization enough?, 515

BRONCHIAL HYPERRESPONSIVENESS

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

BRONCHODILATION

Analyzing bronchodilation with emphasis on disease type, age and sex, 563

CAD PHASE II TRIALS

Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

CHEMOPREVENTION

Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

CHILDREN

SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

CHRONIC HEPATITIS C

Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

CIRRHOSIS

Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

CLASSIC RANDOMIZED TRIAL

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

CLINICAL TRIAL

- Assessment of blinding in clinical trials, 143
- Multicenter trial of early treatment for retinopathy of prematurity: study design, 311
- Application of stochastic processes to participant recruitment in clinical trials, 429

CLINICAL TRIAL DESIGN

- The utility of partial cross-over designs in early phase randomized prevention trials, 493

CLINICAL TRIAL ENROLLMENT

- Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975–2000), 378

CLINICAL TRIALS

- The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286
- Challenges and innovations in enhancing adherence, 447
- Negative results in cancer clinical trials—equivalence or poor accrual?, 525

COGNITION

- The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

COGNITIVE THERAPY

- Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

COMMUNITY AND PRIMARY CARE INTERVENTION

- Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

COMMUNITY HEALTH WORKER

- A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

COMMUNITY OUTREACH

- Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

COMMUNITY-RANDOMIZED TRIALS

- Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

CONDOMS

- When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

CONFIDENCE INTERVAL

- A simple alternative confidence interval for the difference between two proportions, 3
- Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

CONFOUNDING

- Ensuring the comparability of comparison groups: is randomization enough?, 515

CONSTANT ARCSINE DIFFERENCE

- Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

CONTROLLED TRIALS

- Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

COPD

- Analyzing bronchodilation with emphasis on disease type, age and sex, 563

CORONARY DISEASE

- Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

CRISP

- Assessment of blinding in clinical trials, 143

CROSS-OVER DESIGN

- The utility of partial cross-over designs in early phase randomized prevention trials, 493

DELIVERY OF HEALTH CARE

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

DENDRITIC CELLS

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

DIAGNOSTIC ERRORS

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

DIARIES

Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

DISABILITY

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

DISCONTINUATION TRIAL

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

DRUG DEVELOPMENT

Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

DRUG LABELING

Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

EARLY CHILDHOOD ASTHMA

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ECTOPIC BONE

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

ELECTRONIC DEVICE

Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

ELECTRONIC SOURCE DOCUMENTS

Validating electronic source data in clinical trials, 437

ERRORS-IN-VARIABLES

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

ETHICAL

Investigator and site selection and performing GCP clinical studies in India, 366

ETHNIC GROUPS

SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

EXACT TEST

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

EXHALED NITRIC OXIDE

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

EXPERIMENT-WISE ERROR RATE

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

EYE

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

FAMILY PLANNING

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

FINASTERIDE

Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

FISHER'S Z TRANSFORMATION

A simple alternative confidence interval for the difference between two proportions, 3

FLUTICASONE

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

FUNDING SOURCE

An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

GCP CLINICAL TRIALS

Investigator and site selection and performing GCP clinical studies in India, 366

GLUCOCORTICOIDS

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

GOLD STANDARD TEST

Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

GRATING VISUAL ACUITY OUTCOME

Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

GROUP SEQUENTIAL TEST

Samples of exact k -stage group sequential designs for Phase II and Pilot studies, 326

HAZARD RATIO

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

HEALTH-RELATED QUALITY OF LIFE

Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

HIP REPLACEMENT

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

HIV

Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

HIV/AIDS

Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

HMG-CoA REDUCTASE INHIBITORS

The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

HYPERTENSION

Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

HYSTERECTOMY

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

INCREASING ACCRUAL

Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

INDIA

Investigator and site selection and performing GCP clinical studies in India, 366

INDUSTRY

An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

INTERFERONS

Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

INTERMITTENT WHEEZING

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

INTERNET-BASED PRODUCTS

Validating electronic source data in clinical trials, 437

INTERVENTION

Challenges and innovations in enhancing adherence, 447

INTERVENTIONS

A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

INVESTIGATORS SELECTION

Investigator and site selection and performing GCP clinical studies in India, 366

LINEAR MIXED MODEL

Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

LINEAR MODELS

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

LOGISTIC REGRESSION

Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

LOSS TO FOLLOW-UP

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

MAGNESIUM

Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

MAILED QUESTIONNAIRE

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

MAINTENANCE THERAPY

Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

MAJOR DEPRESSIVE DISORDER

Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

MART-1 MELANOMA

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

MASKING

Assessment of blinding in clinical trials, 143

MASS MAILING

Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

MATCHED PAIRS

Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

MATERNAL DEPRESSION

Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

MEASURE OF LOCATION

Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

MEASUREMENT

Challenges and innovations in enhancing adherence, 447

MEASUREMENT ERROR

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

MEDICAL STUDIES

On the generation and ownership of alpha in medical studies, 613

MEDROXYPROGESTERONE ACETATE

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treat-

ment in premenopausal women with abnormal uterine bleeding, 104

MELANOMA

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

METASTATIC MELANOMA

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

MINIMIZATION METHOD

Statistical comparison of random allocation methods in cancer clinical trials, 572

MINORITY RECRUITMENT

Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

MOTHER-TO-CHILD TRANSMISSION

Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

MULTINOMIAL TEST

Assessment of blinding in clinical trials, 143

MULTISTEP MULTICENTER CLINICAL TRIAL

Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

MYOCARDIAL INFARCTION

Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

NEOPLASMS

Negative results in cancer clinical trials—equivalence or poor accrual?, 525

NSAIDs

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

NUMBER NEEDED TO TREAT

A simple alternative confidence interval for the difference between two proportions, 3

NURSE CASE MANAGER

A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

OSCILLOMETRY

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

OUTCOME

An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

OUTCOME ASSESSMENT

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

OUTCOMES RESEARCH

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PAPER-BASED SOURCE DOCUMENTS

Validating electronic source data in clinical trials, 437

PARALLEL DESIGN

The utility of partial cross-over designs in early phase randomized prevention trials, 493

PARTICIPANT OPINIONS

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PARTICIPANT SURVEY

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PATIENT EDUCATION

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PATIENT-REPORTED OUTCOMES

Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

PERINATAL HIV TRANSMISSION

Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

PERIPHERAL RETINAL ABLATION

Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

PHARMACISTS

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PHASE II STUDY

The utility of partial cross-over designs in early phase randomized prevention trials, 493

PHASE II TRIAL

Samples of exact k -stage group sequential designs for Phase II and Pilot studies, 326

PHASE II TRIALS

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

PHYSICAL ACTIVITY INTERVENTIONS

Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

PILOT TRIAL

Samples of exact k -stage group sequential designs for Phase II and Pilot studies, 326

PLACEBO-CONTROLLED

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

POISSON PROCESS

Application of stochastic processes to participant recruitment in clinical trials, 429

POSTAL QUESTIONNAIRE

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

PREVENTION OF ASTHMA

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

PRIMARY CARE

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PROGNOSTIC FACTOR

Statistical comparison of random allocation methods in cancer clinical trials, 572

PROSTATE CANCER

Implementation of the Prostate Cancer Prevention Trial (PCPT), 203
Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

PSYCHIATRY

Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

QUALITY OF LIFE

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104
Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

QUESTIONNAIRE

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

QUESTIONNAIRE LENGTH

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

RACE

Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975-2000), 378

RANDOM ALLOCATION

Statistical comparison of random allocation methods in cancer clinical trials, 572

RANDOMIZATION YIELD

Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

RANDOMIZED

Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

RANDOMIZED CLINICAL TRIAL

Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

RANDOMIZED CONTROLLED TRIALS

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

RANDOMIZED TRIAL

A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

RATING SCALE

Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

RCT

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

RECRUITMENT

Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

REGRESSION ANALYSIS

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

REGULATORY

Investigator and site selection and performing GCP clinical studies in India, 366

RELIABILITY

Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

REPEATED MEASUREMENTS

Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

RESEARCH NETWORK

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

RESEARCHERS

On the generation and ownership of alpha in medical studies, 613

RESIDUALS

Analyzing bronchodilation with emphasis on disease type, age and sex, 563

RESPONSE RATE

Follow-up by mail in clinical trials: does questionnaire length matter?, 31

RETINOPATHY OF PREMATUREITY

Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

RISK DIFFERENCE

A simple alternative confidence interval for the difference between two proportions, 3

RISK-BENEFIT

The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

SAMPLE SIZE

Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

SATISFACTION

Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

SCHIZOPHRENIA

An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

SCORE METHOD

A simple alternative confidence interval for the difference between two proportions, 3

SELECTION BIAS

Ensuring the comparability of comparison groups: is randomization enough?, 515

SELECTION OF COMMUNITIES

Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

SENSITIVITY

Incorporating the sampling variation of the disease prevalence when calculating the sample size

in a study to determine the diagnostic accuracy of a test, 417

SEROTONIN

The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

SEXUAL FUNCTION

Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

SIMULATION STUDY

Statistical comparison of random allocation methods in cancer clinical trials, 572

SIMULATIONS

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

SITE AND HOSPITAL SELECTION

Investigator and site selection and performing GCP clinical studies in India, 366

SIZE OF A TEST

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

SPIROMETRY

The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ST ELEVATION MYOCARDIAL INFARCTION

Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

STATINS

The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

STATISTICAL POWER

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

STATISTICAL STUDIES

Negative results in cancer clinical trials—equivalence or poor accrual?, 525

STUDY DESIGN

Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

STUDY MANAGEMENT

Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

STUDY ORGANIZATION

Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

SYMPTOM REGISTRATION

Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

THERAPEUTIC EQUIVALENCY

Negative results in cancer clinical trials—equivalence or poor accrual?, 525

TIMING OF TREATMENT

Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

TRADITIONAL CHINESE MEDICINE

Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

TRIAL DESIGN

Statistical comparison of random allocation methods in cancer clinical trials, 572

TYPE 1 DIABETES

SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

TYPE 2 DIABETES

A randomized controlled trial of the effects of nurse case manager and community

health worker team interventions in urban African-Americans with type 2 diabetes, 53

SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

UNIFORMLY MOST POWERFUL TEST

Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

UTILIZATION AND COSTS

Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

VA COOPERATIVE STUDIES PROGRAM

Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975–2000), 378

VIRAL HEPATITIS

Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

VISION

Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

WEIBULL DISTRIBUTION

Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

WIDENING ELIGIBILITY

Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

WITHIN-PATIENT VARIABILITY

Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

